

SAFETY DATA SHEET

SDS PREP DATE: 5/1/2020

SDS REVISION DATE: 5/1/2020

3137 E. 26th Street
Vernon, CA 90058
(323) 266-7111

Product ID: ML-2270-4.8199

24-Hour Emergency Telephone: (800) 255-3924

This Safety Data Sheet contains environmental, health and toxicology information for your employees. Please make sure this information is given to them. It also contains information to help you meet community Right To Know emergency response reporting requirements under SARA TITLE III and many other laws. If you resell this product, this SDS must be given to the buyer or the information incorporated in your SDS.

Section 1: Company and Product Identification

The Starco Group
3137 E. 26th Street
Vernon, CA 90058
(323) 266-7111

24-Hour Emergency Telephone: (800) 255-3924

Product ID: ML-2270-4.8199

Product Name: Slick & Ezy Degreaser 4x1 ga

Intended Use: Degreaser

Section 2: Hazard(s) Identification

Product Signal Word: **Danger**

Physical Hazard Classification: Corrosive to Metals
May be corrosive to metals.

Physical Hazard Precautionary Statements:

- Keep only in original container.
- Absorb spillage to prevent material damage.
- Store in corrosive resistant container with a resistant inner liner.

Health Hazard Classification(s):

- Acute Toxicity - Oral - Level 4
- Skin Corrosion/Irritation -Level 1A -1C
- Eye Damage/Irritation -Level 1
- Specific Target Organ Toxicity (Single Exposure) -

Health Hazard Statements:

- Harmful if swallowed.
- Causes severe skin burns and eye damage.
- Causes serious eye damage.
- May cause respiratory irritation.

First-Aid Statement(s):

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.





SAFETY DATA SHEET

SDS PREP DATE: 5/1/2020

SDS REVISION DATE: 5/1/2020

**3137 E. 26th Street
Vernon, CA 90058
(323) 266-7111**

Product ID: ML-2270-4.8199

24-Hour Emergency Telephone: (800) 255-3924

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor/physician.

Call a POISON CENTER/doctor/physician if you feel unwell.

See section 12 if specific treatment is applicable.

Wash contaminated clothing before reuse.

Handling and Storage Statement(s):

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Exposure Control / Personal Protection Statement(s):

Do not breathe dust/fume/gas/mist/vapours/spray.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash hands and exposed areas thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Disposal Statement(s):

Dispose of contents/container in accordance with local regulations.

Section 3: Product Composition

	CAS#	% Range		PEL	TLV
SODIUM GLUCONATE	527-07-1	0%	5%	NOT ESTABLISHED	NOT ESTABLISHED
SODIUM TRIPOLY PHOSPHATE	7758-29-4	0%	5%	NOT ESTABLISHED	NOT ESTABLISHED
INERT MATERIAL	7732-18-5	80%	100%	NOT ESTABLISHED	NOT ESTABLISHED
SODIUM METASILICATE	6834-92-0	0%	5%	ND	ND
QUATERNARY AMMONIUM	68610-19-5	0%	5%		

Specific chemical identity and exact percentages are withheld as Trade Secret.

Section 4: First-Aid Measures

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

SAFETY DATA SHEET

SDS PREP DATE: 5/1/2020

SDS REVISION DATE: 5/1/2020

**3137 E. 26th Street
Vernon, CA 90058
(323) 266-7111**

Product ID: ML-2270-4.8199

24-Hour Emergency Telephone: (800) 255-3924

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor/physician.

Call a POISON CENTER/doctor/physician if you feel unwell.

See section 12 if specific treatment is applicable.

Wash contaminated clothing before reuse.

PERMISSIBLE EXPOSURE LEVEL: See Section III Components

EFFECTS OF ACUTE OVEREXPOSURE:

EYES: Causes severe damage and even blindness very rapidly.

SKIN: Causes burns, possible ulceration.

BREATHING: Mist or dust can cause damage to nasal and respiratory passages.

SWALLOWING: Results in severe damage to mucous membranes and deep tissues, can result in death on penetration to vital areas.

FIRST AID:

IF ON SKIN: Immediately flush exposed area with water for at least 15 minutes, get medical attention. Remove contaminated clothing. Launder contaminated clothing before re-use.

IF ON EYES: Immediately flush with large amounts of water for 15 minutes, lifting upper and lower lids occasionally. Get immediate medical attention. If physician is not immediately available, continue flushing with water.

IF SWALLOWED: DO NOT INDUCE VOMITING. Vomiting will cause further damage to throat. Dilute by giving water. Give milk of magnesia. Keep warm, quiet. get medical attention immediately.

IF BREATHED: If affected, remove individual to fresh air. If breathing difficult, administer oxygen. If breathing has stopped give artificial respiration. Keep person warm, quiet and get medical attention.

PRIMARY ROUTE(S) OF ENTRY: Inhalation, skin contact.

Section 5: Fire-Fighting Measures

FLASH POINT: Not applicable

EXPLOSIVE LIMIT: Not applicable

EXTINGUISHING MEDIA: Water, carbon dioxide or dry chemical

HAZARDOUS DECOMPOSITION PRODUCTS: May form toxic material: hydrogen chloride, acid vapors, etc.

FIREFIGHTING PROCEDURES: Wear self-contained breathing apparatus with a full face piece operated in the positive pressure demand mode and full body protection when fighting fires.

SPECIAL FIRE & EXPLOSION HAZARDS: Acids reacts with most metals to release hydrogen gas which can form explosive mixtures with air.

SAFETY DATA SHEET

SDS PREP DATE: 5/1/2020

SDS REVISION DATE: 5/1/2020

Product ID: **ML-2270-4.8199**

**3137 E. 26th Street
Vernon, CA 90058
(323) 266-7111**

24-Hour Emergency Telephone: (800) 255-3924

Section 6: Accidental Release Measures

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

SMALL SPILL: Cover the contaminate surface with sodium bicarbonate or a soda ash/slaked lime mixture (50-50). Mix and add water if necessary to form a slurry. Scoop up slurry and wash site with soda ash solution.

LARGE SPILLS: Persons not wearing protective equipment should be excluded from area of spill until clean-up is completed. Stop spill at source. Dike to prevent spreading.

WASTE DISPOSAL METHOD:

SMALL SPILL: Flush down drain with large amounts of water in accordance with applicable regulations.

LARGE SPILLS: Collect and add slowly to large volume of agitated solution of soda ash and slaked lime. Add neutralized solution to excess running water in accordance with applicable regulations.

Section 7: Handling and Storage

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

RESPIRATORY PROTECTION: If workplace exposure limit(s) of product or any component is exceeded (see section II), a NIOSH/MSHA approved supplied respirator is advised in absence of proper environmental control. OSHA regulations also permit other NIOSH/MSHA respirators (negative pressure type) under specified conditions. Engineering or administrative controls should be implemented to reduce exposure.

VENTILATION: Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below TLV(S).

PROTECTIVE GLOVES: Wear resistant gloves such as: Natural rubber, neoprene.

EYE PROTECTION: Chemical splash goggles and face shield (8" min) in compliance with osha regulations are advised; however OSHA regulations also permit other type safety glasses.

OTHER PROTECTIVE EQUIPMENT: To prevent skin contact, wear impervious clothing and boots.

Section 8: Exposure Control / Personal Protection

Do not breathe dust/fume/gas/mist/vapours/spray.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash hands and exposed areas thoroughly after handling.

Do no eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

RESPIRATORY PROTECTION: If workplace exposure limit(s) of product or any component is exceeded (see section II), a NIOSH/MSHA approved supplied respirator is advised in absence of proper environmental control. OSHA regulations also permit other NIOSH/MSHA respirators (negative pressure type) under specified conditions. Engineering or administrative controls should be implemented to reduce exposure.

VENTILATION: Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below TLV(S).

PROTECTIVE GLOVES: Wear resistant gloves such as: Natural rubber, neoprene.

EYE PROTECTION: Chemical splash goggles and face shield (8" min) in compliance with osha regulations are advised; however OSHA regulations also permit other type safety glasses.

OTHER PROTECTIVE EQUIPMENT: To prevent skin contact, wear impervious clothing and boots.

Section 9: Product Properties

Flash Point (CCP): > 200 F

Boiling Point for Product:

SAFETY DATA SHEET

SDS PREP DATE: 5/1/2020

SDS REVISION DATE: 5/1/2020

**3137 E. 26th Street
Vernon, CA 90058
(323) 266-7111**

Product ID: ML-2270-4.8199

24-Hour Emergency Telephone: (800) 255-3924

> 212 F

Vapor Pressure for Product: ND

Vapor Density for Product: ND

Specific Gravity: 1.032

V.O.C.: < 1% by Weight

Water Solubility: COMPLETE

Appearance: Lt Purple Thin Liquid

PH: 12.8 +/- 0.5

Section 10: Stability and Reactivity

HAZARDOUS POLYMERIZATION: Cannot occur.

STABILITY: Stable

INCOMPATIBILITY: Avoid contact with: Strong alkalies, alkali metals.

Section 11: Toxicological Information

SODIUM GLUCONATE 527-07-1

Potential Acute Health Effects:

Hazardous in case of eye contact (irritant). Slightly hazardous in case of skin contact (irritant, permeator), of ingestion, of inhalation.

Potential Chronic Health Effects:

CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available. Repeated or prolonged exposure is not known to aggravate medical condition.

SODIUM TRIPOLY PHOSPHATE 7758-29-4

Acute oral toxicity : LD 50 Mouse: 3100 mg/kg

Other toxic effects on humans:

Hazardous in case of skin contact (irritant), of ingestion, of inhalation. Slightly hazardous in case of skin contact (sensitizer, permeator).

SODIUM METASILICATE PENTAHYDRATE 6834-92-0

Acute Dermal Toxicity: This material is corrosive to skin and eyes

Acute Oral Toxicity LD50 (rat): 1500 - 3200 mg/Kg

QUATERNARY AMMONIUM COMPOUND 68610-19-5

Causes Severe Eye and Skin Irritation

Section 12: Ecological Information

SODIUM METASILICATE PENTAHYDRATE 6834-92-0

Acutely harmful to aquatic life due to pH. Does not bio-accumulate in aquatic systems.

Acute Toxicity LC50 (fish) 2320 mg/L 96 hr.

EC50 (water flea) 247 mg/L

QUATERNARY AMMONIUM COMPOUND 68610-19-5



SAFETY DATA SHEET

SDS PREP DATE: 5/1/2020

SDS REVISION DATE: 5/1/2020

Product ID: ML-2270-4.8199

**3137 E. 26th Street
Vernon, CA 90058
(323) 266-7111**

24-Hour Emergency Telephone: (800) 255-3924

Not Biodegradable

If applicable, IARL, NPT and OSHA carcinogens and chemicals subject to the reporting requirements of SARA Title III, Section 313 are identified in Section III with an "*". Additional ecological information is Not Determined.

Section 13: Disposal Information

Dispose of contents/container in accordance with local regulations.

WASTE DISPOSAL METHOD: Consult local authorities for proper waste disposal procedures. Empty de-pressurized containers can not be reused. Cans which are pressurized or contain liquid must be disposed of in a permitted waste management facility. Consult Federal, State, and local disposal authorities for approved procedures.

Section 14: Transportation Information

DOT Proper Shipping Name: (NOT REGULATED)

Section 15: Regulatory Information

	CAS#	PEL	TLV
SODIUM GLUCONATE	527-07-1	NOT ESTABLISHED	NOT ESTABLISHED
SODIUM TRIPOLY PHOSPHATE	7758-29-4	NOT ESTABLISHED	NOT ESTABLISHED
INERT MATERIAL	7732-18-5	NOT ESTABLISHED	NOT ESTABLISHED
SODIUM METASILICATE	6834-92-0	ND	ND
QUATERNARY AMMONIUM	68610-19-5		

If applicable, IARL, NPT and OSHA carcinogens and chemicals subject to the reporting requirements of SARA Title III, Section 313 are identified above with an "*"

All material components are listed in the U.S. TSCA inventory.

Section 16: Other Information

Consumer Product Safety Act Certificaton.

This product was evaluated by the Company listed above and is certified to be in compliance with the provisions of the Consumer Product Safety Act, the Federal Hazardous Substances Act, and the Poison Prevention Packaging Act, as applicable. This product was manufactured at the location identified on the SDS. The date of manufacture is stamped on the product container. No testing is required to certify compliance with the above mentioned regulation.

The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modification of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.